KEY WORD INDEX

A/J mouse
Splenic surface marker development; T cell phenotype; B cell phenotype; FACS; Ontogeny (King, L. E., 73)

ADCC
Bromelain; Papain; Anti-D; Anti-A (Kumpel, B. M., 237)

Absolute configuration
Soman; Antibodies; Stereoisomers (Lenz, D. E., 131)

Accessory cell
Macrophage; CD54; CD58; Polyethylene glycol (Ocklind, G., 253)

Adjuvant
Liposome; I.v. immunization; Antigen delivery (Liu, D., 177)

Alkaline phosphate activity
B lymphocyte (Kasyapa, C. S. S., 111)

Anti-A
Bromelain; Papain; ADCC; Anti-D (Kumpel, B. M., 237)

Anti-CD3 mAB
Natural cytotoxic T cells; Fc receptor; Cytotoxicity (Yanagita, Y., 137)

Anti-CD3-induced T cell activation
Autologous mixed lymphocyte culture; Suppressor T cell (Balashov, K. E., 233)

Anti-D
Bromelain; Papain; ADCC; Anti-A (Kumpel, B. M., 237)

Antibodies
Soman; Stereoisomers; Absolute configuration (Lenz, D. E., 131)

Antibodies
Fatty acids; ELISA; HPTLC (Maneta-Peyret, L., 227)

Antibody epitope
Theiler's virus; Multiple sclerosis model; Demyelination; Fusion protein (Kim, B. S., 199)

Antibody inhibition
Sulfur mustard; Sulfur mustard antibody; Haptens (Lieske, C. N., 117)

Antibody-dependent cellular cytotoxicity
Signal transduction; U937 cell (Serebrinsky, G. P., 53)

Antigen delivery
Liposome; Adjuvant; I.v. immunization (Liu, D., 177)

Artocarpus integrifolia
D-Mannose-binding lectin; Jacalin; T cell mitogen; IL-3/GM-CSF (Ferrera de Miranda-Santos, I. K., 65)

Autocrine stimulation
CD1 clustering; Mannose receptor; Langerhans cell differentiation (Rossi, G., 189)

Autoimmunity
Polyclonal B cell activation; LCMV; Persistent infections (Stellrecht, K. A., 273)

Autologous mixed lymphocyte culture
Suppressor T cell; Anti-CD3-induced T cell activation (Balashov, K. E., 233)

B cell phenotype
Splenic surface marker development; T cell phenotype; A/J mouse; FACS; Ontogeny (King, L. E., 73)

B lymphocyte
Alkaline phosphate activity (Kasyapa, C. S. S., 111)

Bactericidal capacity
HIV; Blood monocyte (Bravo-Cuellar, A., 297)

Bifunctional antibody
$F(ab)_2$; Human immunodeficiency virus; Lymphocytes (Okada, H., 247)

Biosensor system
Viruses; Monoclonal antibodies (Dubs, M.-C., 59)

Blood monocyte
HIV; Bactericidal capacity (Bravo-Cuellar, A., 297)

Breast cancer
T cell receptor; Gamma/delta; Tumor infiltrating lymphocytes; Human lymph node (Alam, S. M., 279)

Bromelain
Papain; ADCC; Anti-D; Anti-A (Kumpel, B. M., 237)

CD1 clustering
Mannose receptor; Langerhans cell differentiation; Autocrine stimulation (Rossi, G., 189)

CD54
Accessory cell; Macrophage; CD58; Polyethylene glycol (Ocklind, G., 253)

CD58
Accessory cell; Macrophage; CD54; Polyethylene glycol (Ocklind, G., 253)

CTL
Perforin; In vivo; Cytotoxicity (Takeuchi, Y., 183)

Cell-free CD5
ELISA; Rheumatoid arthritis; Sjögren's syndrome (Jamin, C., 79)

Cholera toxin
G protein; T cell; Signal transduction; Phospholipase C; Pertussis toxin (Gukovskaya, A. S., 1)

Cleavage
Human immunoglobulin; Serine proteinase; *Staphylococcus aureus* (Prokešová, L., 259)

Cyclophosphamide
Trypanosoma cruzi; Immunosuppression; Tissue colonization; Secondary infection (Calabrese, K. S., 91)

Cytokine expression
IL-4; IFNγ; T cell repertoire; IgE (Wang, H., 169)

Cytotoxicity
Natural cytotoxic T cell; Fc receptor; Anti-CD3 mAB (Yanagita, Y., 137)

Cytotoxicity
CTL; Perforin; In vivo (Takeuchi, Y., 183)

D-Mannose-binding lectin
Artocarpus integrifolia; Jacalin; T cell mitogen; IL-3/GM-CSF (Ferrera de Miranda-Santos, I. K., 65)
Demyelination
Theiler's virus; Multiple sclerosis model; Fusion protein; Antibody epitope (Kim, B. S., 199)
Diabetes
Monoclonal antibody; Glutamic acid decarboxylase (Zlobina, E. N., 289)
Diagnosis
Trypanosoma cruzi; *Leishmania braziliensis braziliensis*; 70-kDa Heat-shock protein; Recombinant antigen (Levy Yeyati, P., 27)

ELISA
Cell-free CD5; Rheumatoid arthritis; Sjögren's syndrome (Jamin, C., 79)
ELISA
Antibodies; Fatty acids; HPTLC (Maneta-Peyret, L., 227)
Endothelial cell
Interferon-γ; Intercellular adhesion molecule; HLA-DR antigen; Poly(ADP ribose) synthetase inhibitor (Hiromatsu, Y., 35)
Enzyme-linked immunosorbent assay
IL-6; IL-6 receptor; gp130; Soluble gp130 (Yasukawa, K., 123)
Epidermis
Immune cells; Keratinocytes; Skin immune system (Hunyadi, J., 209)

$F(ab)_2$
Bifunctional antibody; Human immunodeficiency virus; Lymphocytes (Okada, H., 247)
FACS
Splenic surface marker development; T cell phenotype; B cell phenotype; A/J mouse; Ontogeny (King, L. E., 73)
FMDV
IL-1; IL-2; Vaccination; Immune response (McCullough, K. C., 41)
Fatty acids
Antibodies; ELISA; HPTLC (Maneta-Peyret, L., 227)
Fc receptor
Natural cytotoxic T cell; Cytotoxicity; Anti-CD3 mAB (Yanagita, Y., 137)
Fcγ receptor
TGF-b1; Retinoic acid; Human leukemic cells (Morikawa, M., 105)
Flow cytometry
Peritoneal macrophage; Phenotype (Walker, T. M., 217)
Flow cytometer
Immunoassay; Fluorochrome; Protein antigen; Hapten (Kim, K., 267)
Fluorochrome
Immunoassay; Flow cytometer; Protein antigen; Hapten (Kim, K., 267)
Fusion protein
Theiler's virus; Multiple sclerosis model; Demyelination; Antibody epitope (Kim, B. S., 199)

G protein
T cell; Signal transduction; Phospholipase C; Cholera toxin; Pertussis toxin (Gukovskaya, A. S., 1)
Gamma/delta
T cell receptor; Breast cancer; Tumour infiltrating lymphocytes; Human lymph node (Alam, S. M., 279)
Glutamic acid decarboxylase
Diabetes; Monoclonal antibody (Zlobina, E. N., 289)
gp130
IL-6; IL-6 receptor; Soluble gp130; Enzyme-linked immunosorbent assay (Yasukawa, K., 123)

Hapten
Immunoassay; Fluorochrome; Flow cytometer; Protein antigen (Kim, K., 267)
Haptens
Sulfur mustard; Sulfur mustard antibody; Antibody inhibition (Lieske, C. N., 117)
70-kDa Heat-shock protein
Trypanosoma cruzi; *Leishmania braziliensis braziliensis*; Recombinant antigen; Diagnosis (Levy Yeyati, P., 27)
HIV
Bactericidal capacity; Blood monocyte (Bravo-Cuellar, A., 297)
HLA-DR antigen
Interferon-γ; Intercellular adhesion molecule; Poly(ADP ribose) synthetase inhibitor; Endothelial cell (Hiromatsu, Y., 35)
HPTLC
Antibodies; Fatty acids; ELISA (Maneta-Peyret, L., 227)
Human
IFN α-2; Synthetic peptide; T lymphocyte; Proliferation (Danilkovich, A. V., 15)
Human
Natural killer cell (Ciccone, E., 99)
Human IL-2
Thymocyte receptor; rIL-2; Nanopeptide (Zav'yalov, V. P., 285)
Human immunodeficiency virus
Immunoglobulin; Recombination element (Veljković, V., 11)
Human immunodeficiency virus
Bifunctional antibody; $F(ab)_2$; Lymphocytes (Okada, H., 247)
Human immunoglobulin
Serine proteinase; *Staphylococcus aureus*; Cleavage (Prokěsová, L., 259)
Human leukemic cells
TGF-b1; Retinoic acid; Fcγ receptor (Morikawa, M., 105)
Human lymph node
T cell receptor; Gamma/delta; Breast cancer; Tumour infiltrating lymphocytes (Alam, S. M., 279)

I.v. immunization
Liposome; Adjuvant; Antigen delivery (Liu, D., 177)
IFN α-2
Synthetic peptide; Human; T lymphocyte; Proliferation (Danilkovich, A. V., 15)

IFNγ
IL-4; Cytokine expression; T cell repertoire; IgE (Wang, H., 169)
IL-1
FMDV; IL-2; Vaccination; Immune response (McCullough, K. C., 41)
IL-2
FMDV; IL-1; Vaccination; Immune response (McCullough, K. C., 41)
IL-2R
Natural killer cell; PSK; Interleukin-2 (Kariya, Y., 241)
IL-3/GM-CSF
Artocarpus integrifolia; D-Mannose-binding lectin; Jacalin; T cell mitogen (Ferrera de Miranda-Santos, I. K., 65)
IL-4
IFNγ; Cytokine expression; T cell repertoire; IgE (Wang, H., 169)
IL-6
IL-6 receptor; gp130; Soluble gp130; Enzyme-linked immunosorbent assay (Yasukawa, K., 123)
IL-6 receptor
IL-6; gp130; Soluble gp130; Enzyme-linked immunosorbent assay (Yasukawa, K., 123)
IgE
IL-4; IFNγ; Cytokine expression; T cell repertoire (Wang, H., 169)
IgG subclasses
Monoclonal antibody; Specificity (Jefferis, R., 143)
Immune cells
Epidermis; Keratinocytes; Skin immune system (Hunyadi, J., 209)
Immune response
FMDV; IL-1; IL-2; Vaccination (McCullough, K. C., 41)
Immunoassay
Fluorochrome; Flow cytometer; Protein antigen; Hapten (Kim, K., 267)
Immunoglobulin
Human immunodeficiency virus; Recombination element (Veljković, V., 11)
Immunosuppression
Trypanosoma cruzi; Cyclophosphamide; Tissue colonization; Secondary infection (Calabrese, K. S., 91)
In vivo
CTL; Perforin; Cytotoxicity (Takeuchi, Y., 183)
Indomethacin
Tumor necrosis factor α; Interleukin-1β; Prostaglandin E_2; LPS, bacterial lipopolysaccharide; Macrophage; peritoneal human (Fieren, M. W. J. A., 85)
Insulitis
MHC class II; Transgenic mouse (Uno, M., 47)
Intercellular adhesion molecule
Interferon-γ; HLA-DR antigen; Poly(ADP ribose) synthetase inhibitor; Endothelial cell (Hiromatsu, Y., 35)
Interferon-γ
Intercellular adhesion molecule; HLA-DR antigen; Poly(ADP ribose) synthetase inhibitor; Endothelial cell (Hiromatsu, Y., 35)
Interleukin-1β
Tumor necrosis factor α; Prostaglandin E_2; LPS, bacterial lipopolysaccharide; Indomethacin; Macrophage, peritoneal human (Fieren, M. W. J. A., 85)
Interleukin-2
Natural killer cell; PSK; IL-2R (Kariya, Y., 241)

Jacalin
Artocarpus integrifolia; D-Mannose-binding lectin; T cell mitogen; IL-3/GM-CSF (Ferrera de Miranda-Santos, I. K., 65)

Keratinocytes
Epidermis; Immune cells; Skin immune system (Hunyadi, J., 209)

Langerhans cell differentiation
CD1 clustering; Mannose receptor; Autocrine stimulation (Rossi, G., 189)
LCMV
Polyclonal B cell activation; Autoimmunity; Persistent infections (Stellrecht, K. A., 273)
Leishmania braziliensis braziliensis
Trypanosoma cruzi; 70-kDa Heat-shock protein; Recombinant antigen; Diagnosis (Levy Yeyati, P., 27)
Liposome
Adjuvant; I.v. immunization; Antigen delivery (Liu, D., 177)
LPS, bacterial lipopolysaccharide
Tumor necrosis factor α; Interleukin-1β; Prostaglandin E_2; Indomethacin; Macrophage, peritoneal human (Fieren, M. W. J. A., 85)
Lymphatic tissues
Thymopoietin cDNA clone; Thymopoietin mRNA; S1 nuclease protection; Thymus (Zevin-Sonkin, D., 301)
Lymphocytes
Bifunctional antibody; $F(ab)_2$; Human immunodeficiency virus (Okada, H., 247)

Macrophage, peritoneal human
Tumor necrosis factor α; Interleukin-1β; Prostaglandin E_2; LPS, bacterial lipopolysaccharide; Indomethacin (Fieren, M. W. J. A., 85)
Macrophage
Accessory cell; CD54; CD58; Polyethylene glycol (Ocklind, G., 253)
Mannose receptor
CD1 clustering; Langerhans cell differentiation; Autocrine stimulation (Rossi, G., 189)
MHC class II
Transgenic mouse; Insulitis (Uno, M., 47)
MHC restriction
Tolerance; Self-tolerance; T cell (Ying, L., 21)
Monoclonal antibodies
Biosensor system; Viruses (Dubs, M.-C., 59)
Monoclonal antibody
IgG subclasses; Specificity (Jefferis, R., 143)
Monoclonal antibody
Diabetes; Glutamic acid decarboxylase (Zlobina, E. N., 289)

Multiple sclerosis model
Theiler's virus; Demyelination; Fusion protein; Antibody epitope (Kim, B. S., 199)

Nanopeptide
Thymocyte receptor; Human IL-2; rIL-2 (Zav'yalov, V. P., 285)

Natural cytotoxic T cell
Fc receptor; Cytotoxicity; Anti-CD3 mAb (Yanagita, Y., 137)

Natural killer cell
Human (Ciccone, E., 99)

Natural killer cell
PSK; Interleukin-2; IL-2R (Kariya, Y., 241)

Ontogeny
Splenic surface marker development; T cell phenotype; B cell phenotype; A/J mouse; FACS (King, L. E., 73)

Papain
Bromelain; ADCC; Anti-D; Anti-A (Kumpel, B. M., 237)

Perforin
CTL; In vivo; Cytotoxicity (Takeuchi, Y., 183)

Peritoneal macrophage
Phenotype; Flow cytometry (Walker, T. M., 217)

Persistent infections
Polyclonal B cell activation; Autoimmunity; LCMV (Stellrecht, K. A., 273)

Pertussis toxin
G protein; T cell; Signal transduction; Phospholipase C; Cholera toxin (Gukovskaya, A. S., 1)

Phenotype
Peritoneal macrophage; Flow cytometry (Walker, T. M., 217)

Phospholipase C
G protein; T cell; Signal transduction; Cholera toxin; Pertussis toxin (Gukovskaya, A. S., 1)

Poly(ADP ribose) synthetase inhibitor
Interferon-γ; Intercellular adhesion molecule; HLA-DR antigen; Endothelial cell (Hiromatsu, Y., 35)

Polyclonal B cell activation
Autoimmunity; LCMV; Persistent infections (Stellrecht, K. A., 273)

Polyethylene glycol
Accessory cell; Macrophage; CD54; CD58 (Ocklind, G., 253)

Proliferation
IFN α-2; Synthetic peptide; Human; T lymphocyte (Danilkovich, A. V., 15)

Prostaglandin E_2
Tumor necrosis factor α; Interleukin-1β; LPS, bacterial lipopolysaccharide; Indomethacin; Macrophage, peritoneal human (Fieren, M. W. J. A., 85)

Protein antigen
Immunoassay; Fluorochrome; Flow cytometer; Hapten (Kim, K., 267)

PSK
Natural killer cell; Interleukin-2; IL-2R (Kariya, Y., 241)

Recombinant antigen
Trypanosoma cruzi; *Leishmania braziliensis braziliensis*; 70-kDa Heat-shock protein; Diagnosis (Levy Yeyati, P., 27)

Recombination element
Human immunodeficiency virus; Immunoglobulin (Veljković, V., 11)

Retinoic acid
TGF-b1; Fcγ receptor; Human leukemic cells (Morikawa, M., 105)

Rheumatoid arthritis
Cell-free CD5; ELISA; Sjögren's syndrome (Jamin, C., 79)

rIL-2
Thymocyte receptor; Human IL-2; Nanopeptide (Zav'yalov, V. P., 285)

S1 nuclease protection
Thymopoietin cDNA clone; Thymopoietin mRNA; Thymus; Lymphatic tissues (Zevin-Sonkin, D., 301)

Secondary infection
Trypanosoma cruzi; Immunosuppression; Cyclophosphamide; Tissue colonization (Calabrese, K. S., 91)

Self-tolerance
Tolerance; MHC restriction; T cell (Ying, L., 21)

Serine proteinase
Human immunoglobulin; *Staphylococcus aureus*; Cleavage (Prokešová, L., 259)

Signal transduction
G protein; T cell; Phospholipase C; Cholera toxin; Pertussis toxin (Gukovskaya, A. S., 1)

Signal transduction
Antibody-dependent cellular cytotoxicity ; U937 cell (Serebrinsky, G. P., 53)

Sjögren's syndrome
Cell-free CD5; ELISA; Rheumatoid arthritis (Jamin, C., 79)

Skin immune system
Epidermis; Immune cells; Keratinocytes (Hunyadi, J., 209)

Soluble gp130
IL-6; IL-6 receptor; gp130; Enzyme-linked immunosorbent assay (Yasukawa, K., 123)

Soman
Antibodies; Stereoisomers; Absolute configuration (Lenz, D. E., 131)

Specificity
Monoclonal antibody; IgG subclasses (Jefferis, R., 143)

Splenic surface marker development
T cell phenotye; B cell phenotype; A/J mouse; FACS; Ontogeny (King, L. E., 73)

Staphylococcus aureus
Human immunoglobulin; Serine proteinase; Cleavage (Prokešová, L., 259)

Stereoisomers
Soman; Antibodies; Absolute configuration (Lenz, D. E., 131)

Sulfur mustard
Sulfur mustard antibody; Antibody inhibition; Haptens (Lieske, C. N., 117)

Sulfur mustard antibody
Sulfur mustard; Antibody inhibition; Haptens (Lieske, C. N., 117)

Suppressor T cell
Autologous mixed lymphocyte culture; Anti-CD3-induced T cell activation (Balashov, K. E., 233)

Synthetic peptide
IFN α-2; Human; T lymphocyte; Proliferation (Danilkovich, A. V., 15)

T cell
G protein; Signal transduction; Phospholipase C; Cholera toxin; Pertussis toxin (Gukovskaya, A. S., 1)

T cell
Tolerance; MHC restriction; Self-tolerance (Ying, L., 21)

T cell mitogen
Artocarpus integrifolia; D-Mannose-binding lectin; Jacalin; IL-3/GM-CSF (Ferrera de Miranda-Santos, I. K., 65)

T cell phenotype
Splenic surface marker development; B cell phenotype; A/J mouse; FACS; Ontogeny (King, L. E., 73)

T cell receptor
Gamma/delta; Breast cancer; Tumour infiltrating lymphocytes; Human lymph node (Alam, S. M., 279)

T cell repertoire
IL-4; IFNγ; Cytokine expression; IgE (Wang, H., 169)

T lymphocyte
IFN α-2; Synthetic peptide; Human; Proliferation (Danilkovich, A. V., 15)

TGF-β1
Retinoic acid; Fcγ receptor; Human leukemic cells (Morikawa, M., 105)

Theiler's virus
Multiple sclerosis model; Demyelination; Fusion protein; Antibody epitope (Kim, B. S., 199)

Thymocyte receptor
Human IL-2; rIL-2; Nanopeptide (Zav'yalov, V. P., 285)

Thymopoietin cDNA clone
Thymopoietin mRNA; S1 nuclease protection; Thymus; Lymphatic tissues (Zevin-Sonkin, D., 301)

Thymopoietin mRNA
Thymopoietin cDNA clone; S1 nuclease protection; Thymus; Lymphatic tissues (Zevin-Sonkin, D., 301)

Thymus
Thymopoietin cDNA clone; Thymopoietin mRNA; S1 nuclease protection; Lymphatic tissues (Zevin-Sonkin, D., 301)

Tissue colonization
Trypanosoma cruzi; Immunosuppression; Cyclophosphamide; Secondary infection (Calabrese, K. S., 91)

Tolerance
MHC restriction; Self-tolerance; T cell (Ying, L., 21)

Transgenic mouse
MHC class II; Insulitis (Uno, M., 47)

Trypanosoma cruzi
Leishmania braziliensis braziliensis; 70-kDa Heat-shock protein; Recombinant antigen; Diagnosis (Levy Yeyati, P., 27)

Trypanosoma cruzi
Immunosuppression; Cyclophosphamide; Tissue colonization; Secondary infection (Calabrese, K. S., 91)

Tumor necrosis factor α
Interleukin-1β; Prostaglandin E_2; LPS, bacterial lipopolysaccharide; Indomethacin; Macrophage, peritoneal human (Fieren, M. W. J. A., 85)

Tumour infiltrating lymphocytes
T cell receptor; Gamma/delta; Breast cancer; Human lymph node (Alam, S. M., 279)

U937 cell
Signal transduction; Antibody-dependent cellular cytotoxicity (Serebrinsky, G. P., 53)

Vaccination
FMDV; IL-1; IL-2; Immune response (McCullough, K. C., 41)

Viruses
Biosensor system; Monoclonal antibodies (Dubs, M.-C., 59)

AUTHOR INDEX

Akatsuka, A., see Takeuchi, Y., 183
Alam, S. M., Clark, J. S., Leech, V., Whitford, P., George, W. D. and Campbell, A. M., T cell receptor gamma/delta expression on lymphocyte populations of breast cancer patients, 279
Altschuh, D., see Dubs, M.-C., 59
Azuma, T., see Okada, H., 247

Bakács, T., see Kumpel, B. M., 237
Balashov, K. E. and Brondz, B. D., Application of anti-CD3-treated lymphocytes as stimulator cells in human autologous mixed lymphocyte cultures for generation of autorestricted $CD8^+$ suppressor T cells, 233
Baran, K., see Prokešová, L., 259
Bauer, P. G., see Calabrese, K. S., 91
Ben-Efraim, S., see Fieren, M. W. J. A., 85
Bentley, T. L., see Jefferis, R., 143
Bezian, J.-H., see Maneta-Peyret, L., 227
Boersma, J. A., see Jefferis, R., 143
Bonini, P. V., see Ferrera de Miranda-Santos, I. K., 65
Bonnefoy, S., see Yeyati, P. L., 27
Bonta, I. L., see Fieren, M. W. J. A., 85
Bravo-Cuellar, A., Nowacki, W., Vuillier, F., De Saint-Martin, J. and Orbach-Arbouys, S., The bactericidal capacity of peripheral blood monocytes from HIV positive patients may collapse very soon after the infection, 297
Brondz, B. D., see Balashov, K. E., 233
Bunn-Morena, M. M., see Ferrera de Miranda-Santos, I. K., 65
Burger, C. J., see Walker, T. M., 217

Calabrese, K. S., Bauer, P. G., Lagrange, P. H. and Gonçalves da Costa, S. C., *Trypanosoma cruzi* infection in immunosuppressed mice, 91
Campbell, A. M., see Alam, S. M., 279
Campos-Neto, A., see Ferrera de Miranda-Santos, I. K., 65
Cassagne, C., see Maneta-Peyret, L., 227
Cho, B., see Kim, K., 267
Choe, I. S., see Kim, K., 267
Choe, Y.-K., see Kim, B. S., 199
Choi, M. J., see Kim, K., 267
Chung, T.-W., see Kim, K., 267
Ciccone, E., Moretta, A. and Moretta, L., Specific functions of human NK cells (Minireview), 99
Claassen, E., see Jefferis, R., 143
Clark, J. H., see Lieske, C. N., 117
Clark, J. S., see Alam, S. M., 279
Cohn, M., see Ying, L., 21
Coolen, J., see Jefferis, R., 143
Crane, M. A., see Kim, B. S., 199

Danilkovich, A. V., Freze, K. V., Shevalier, A. F., Samukov, V. V., Kirkin, A. F. and Gusev, M. V., Synthetic peptide with antiproliferative activity: a short C-terminal fragment of the human interferon α-2 molecule, 15
Davis, S.-J., see Ying, L., 21
Dawson, J. S., see Lenz, D. E., 131
De Lange, G. G., see Jefferis, R., 143
De Saint-Martin, J., see Bravo-Cuellar, A., 297
Debrabant, A., see Yeyati, P. L., 27
Dedet, J. P., see Yeyati, P. L., 27
Delgado, M., see Ferrera de Miranda-Santos, I. K., 65
Denesyuk, A. I., see Zav'yalov, V. P., 285
Dobozy, A., see Hunyadi, J., 209
Dolzine, T. W., see Lieske, C. N., 117
Dubinkin, I. V., see Zlobina, E. N., 289
Dubs, M.-C., Altschuh, D. and Van Regenmortel, M. H. V., Interaction between viruses and monoclonal antibodies studied by surface plasmon resonance, 59

Elgert, K. D., see Walker, T. M., 217
Epstein, R., see Ying, L., 21

Ferrera de Miranda-Santos, I. K., Delgado, M., Bonini, P. V., Bunn-Moreno, M. M. and Campos-Neto, A., A crude extract of *Artocarpus integrifolia* contains two lectins with distinct biological activities, 65
Fieren, M. W. J. A., Van den Bemd, G-J. C. M., Ben-Efraim, S. and Bonta, I. L., Prostaglandin E_2 inhibits the release of tumor necrosis factor-α, rather than interleukin 1β, from human macrophages, 85
Fraker, P. J., see King, L. E., 73
Freze, K. V., see Danilkovich, A. V., 15
Friedrichs, D., see Ocklind, G., 253
Futatsugi, K., see Yasukawa, K., 123

Galaktionov, V. G., see Zav'yalov, V. P., 285
Gao, X., see Takeuchi, Y., 183
Gao, X., see Yanagita, Y., 137
Gelderblom, H., see Rossi, G., 189
George, W. D., see Alam, S. M., 279
Gibbons, J. P., see King, L. E., 73
Gonçalves da Costa, S. C., see Calabrese, K. S., 91
Gonzalez-Cappa, E., see Yeyati, P. L., 27
Goodall, D. M., see Jefferis, R., 143
Gross, C. L., see Lieske, C. N., 117
Gudima, G. O., see Zlobina, E. N., 289
Gukovskaya, A. S., G proteins in T cell signal transduction (Minireview), 1
Gusev, M. V., see Danilkovich, A. V., 15
Guthmann, D., see Zevin-Sonkin, D., 301

Habu, S., see Takeuchi, Y., 183
Habu, S., see Yanagita, Y., 137
Hachová, L., see Prokešová, L., 259
Han, M. Y., see Kim, K., 267
Harada, N., see Morikawa, M., 105
Harada, S., see Jefferis, R., 143
Hattori, T., see Okada, H., 247
HayGlass, K. T., see Wang, H., 169
Heveker, N., see Rossi, G., 189
Hiromatsu, Y., Sato, M., Yamamda, K. and Nonaka, K., Inhibitory effects of nicotinamide on recombinant human interferon-gamma-induced intercellular adhesion molecule-1 (ICAM-1) and HLA-DR antigen expression on cultured human endothelial cells, 35
Hontebeyrie-Joskowicz, M., see Yeyati, P. L., 27
Huang, L., see Liu, D., 177
Hunyadi, J., Simon Jr., M. and Dobozy, A., Immune-associated surface markers of human keratinocytes (Minireview), 209

Ilan, E., see Zevin-Sonkin, D., 301
Inoue, N., see Kariya, Y., 241
Isaev, I. S., see Zav'yalov, V. P., 285
Isturiz, M. A., see Serebrinsky, G. P., 53

Jamin, C., Magadur, G., Lamour, A., Mackenzie, L., Lydyard, P., Katsikis, P. and Youinou, P., Cell-free CD5 in patients with rheumatic diseases, 79
Jefferis, R., Reimer, C. B., Skvaril, F., De Lange, G. G., Goodall, D. M., Bentley, T. L., Phillips, D. J., Vlug, A., Harada, S., Radl, J., Claassen, E., Boersma, J. A. and Coolen, J., Evaluation of monoclonal antibodies having specificity for human IgG subclasses: results of the 2nd IUIS/WHO collaborative study, 143
John, C., see Prokesová, L., 259
Jue, C. R., see Kim, B. S., 199

Kariya, Y., Inoue, N., Kihara, T., Okamoto, N., Sugie, K., Mori, T. and Uchida, A., Activation of human natural killer cells by the protein-bound polysaccharide PSK independently of interferon and interleukin 2, 241
Kasyapa, C. S. S. and Ramanadham, M., Alkaline phosphatase activity is expressed only in B lymphocytes committed to proliferation 111
Katsikis, P., see Jamin, C., 79
Kaurov, O. A., see Zav'yalov, V. P., 285
Kihara, T., see Kariya, Y., 241
Kim, B. S., Choe, Y.-K., Crane, M. A. and Jue, C. R., Identification and localization of a limited number of predominant conformation-independent antibody of Theiler's murine encephalomyelitus virus, 199
Kim, K., Han, M. Y., Yoon, D. Y., Cho, B., Choi, M. J., Choe, I. S. and Chung, T.-W., Solid-phase immunoassay using a flow cytometer: quantitative and qualitative determination of protein antigens and a hapten, 267
Kimoto, M., see Uno, M., 47
King, L. E., Morford, L. A., Gibbons, J. P. and Fraker, P. J., Flow cytometric analysis of the expression of murine B and T surface markers from birth to adulthood, 73
Kirkin, A. F., see Danilkovich, A. V., 15
Kishimoto, T., see Yasukawa, K., 123
Klopcic, R. S., see Lieske, C. N., 117
Koike, T., see Morikawa, M., 105
Kolobov, A. A., see Zav'yalov, V. P., 285
Kumpel, B. M. and Bakács, T., Comparison of lysis of bromelian and papain treated red cells in ADCC assays, 237

Lafon, S., see Yeyati, P. L., 27
Lagrange, P. H., see Calabrese, K. S., 91
Lamour, A., see Jamin, C., 79
Langman, R., see Ying, L., 21
Leech, V., see Alam, S. M., 279
Lenz, D. E., Yourick, J. J., Dawson, J. S. and Scott, J., Monoclonal antibodies against soman: characterization of soman stereoisomers, 131
Levin, M. J., see Yeyati, P. L., 27
Lieske, C. N., Klopcic, R. S., Gross, C. L., Clark, J. H., Dolzine, T. W., Logan, T. P. and Meyer, H. G., Development of an antibody that binds sulfur mustard, 117
Liu, D., Wada, A. and Huang, L., Potentiation of the humoral response of intravenous antigen by splenotropic liposomes, 177
Logan, T. P., see Lieske, C. N., 117
Lydyard, P., see Jamin, C., 79

Mackenzie, L., see Jamin, C., 79
Magadur, G., see Jamin, C., 79
Maneta-Peyret, L., Picard, J.-P., Bezian, J.-H. and Cassagne, C., Fatty acids rendered immunogenic, 227
McCullough, K. C., Pullen, L. and Parkinson, D., The immune response against foot-and-mouth disease virus: influence of the T lymphocyte growth factors IL-1 and IL-2 on the murine humoral response in vivo, 41
Merkushov, A. V., see Zlobina, E. N., 289
Metlaš, R., see Veljković, V., 11
Meyer, H. G., see Lieske, C. N., 117
Mirkin, G., see Yeyati, P. L., 27
Mitomi, T., see Yanagita, Y., 137
Miyazaki, T., see Uno, M., 47
Miyazaki, J., see Uno, M., 47
Mohapatra, S. S., see Wang, H., 169
Momota, H., see Okada, H., 247
Moretta, A., see Ciccone, E., 99
Moretta, L., see Ciccone, E., 99
Morford, L. A., see King, L. E., 73
Mori, T., see Kariya, Y., 241
Morikawa, M., Harada, N., Zeng, H., Koike, T. and Yoshida, T., Induction of phosphatidylinositol-glycan-linked Fcγ RIII in human monocytic THP-1 cells by transforming growth factor-β1 and retinoic acid, 105

Narazaki, M., see Yasukawa, K., 123
Navolotskaya, E. V., see Zav'yalov, V. P., 285
Nishimoto, H., see Uno, M., 47
Nishimura, T., see Takeuchi, Y., 183
Nishimura, T., see Yanagita, Y., 137
Nonaka, K., see Hiromatsu, Y., 35
Nowacki, W., see Bravo-Cuellar, A., 297

Ocklind, G., Friedrichs, D. and Peters, J. H., Expression of CD54, CD58, CD14, and HLA-DR on macrophages and macrophage-derived accessory cells and their accessory capacity, 253
Okada, H., Momota, H., Azuma, T., Hattori, T. and Okada, N., Specific cytolysis of HIV-infected cells by lymphocytes armed with bifunctional antibodies, 247
Okada, N., see Okada, H., 247
Okamoto, N., see Kariya, Y., 241
Okumura, K., see Takeuchi, Y., 183
Orbach-Arbouys, S., see Bravo-Cuellar, A., 297

Panebra, A., see Yeyati, P. L., 27
Parkinson, D., see McCullough, K. C., 41
Peters, J. H., see Ocklind, G., 253
Phillips, D. J., see Jefferis, R., 143
Picard, J.-P., see Maneta-Peyret, L., 227
Porwit-Bòbr, Z., see Prokešová, L., 259
Potempa, J., see Prokešová, L., 259
Potužníková, B., see Prokešová, L., 259
Prokešová, L., Potužníková, B., Potempa, J., Zikán, J., Radl, J., Hachová, L., Baran, K., Porwit-Bòbr, Z. and John, C., Cleavage of human immunoglobulins by serine proteinase from *Staphylococcus aureus*, 259
Pullen, L., see McCullough, K. C., 41

Radl, J., see Jefferis, R., 143
Radl, J., see Prokešová, L., 259
Ramanadham, M., see Kasyapa, C. S. S., 111
Reimer, C. B., see Jefferis, R., 143
Riss, J., see Zevin-Sonkin, D., 301
Rossi, G., Heveker, N., Thiele, B., Gelderblom, H. and Steinbach, F., Development of a Langerhans cell phenotype from peripheral blood monocytes, 189

Saito, T., see Yasukawa, K., 123
Samukov, V. V., see Danilkovich, A. V., 15
Sato, M., see Hiromatsu, Y., 35
Scott, J., see Lenz, D. E., 131
Serebrinsky, G. P. and Isturiz, M. Z., Signal transduction during antibody-dependent cellular cytotoxicity mediated by U937 cells, 53
Shevalier, A. F., see Danilkovich, A. V., 15
Shinkai, Y., see Takeuchi, Y., 183
Shoham, J., see Zevin-Sonkin, D., 301
Simon Jr., M., see Hunyadi, J., 209
Skvaril, F., see Jefferis, R., 143
Steinbach, F., see Rossi, G., 189
Stellrecht, K. A. and Vella, A. T., Evidence for polyclonal B cell activation as the mechanism for LCMV-induced autoimmune hemolytic anemia, 273
Sugie, K., see Kariya, Y., 241
Suzuki, H., see Yasukawa, K., 123

Taga, T., see Yasukawa, K., 123
Takeuchi, Y., Nishimura, T., Gao, X., Watanabe, K., Akatsuka, A., Shinkai, Y., Okumura, K. and Habu, S., Perforin is expressed in CTL populations generated in vivo, 183
Theodor, L., see Zevin-Sonkin, D., 301
Thiele, B., see Rossi, G., 189

Uchida, A., see Kariya, Y., 241
Uehira, M., see Uno, M., 47
Uno, M., Miyazaki, T., Uehira, M., Nishimoto, H., Kimoto, M., Miyazaki, J. and Yamamura, K., Complete prevention of diabetes in transgenic NOD mice expressing I-E molecules, 47

Van Regenmortel, M. H. V., see Dubs, M.-C., 59
Van den Bemd, G-J. C. M., see Fieren, M. W. J. A., 85
Vasilenko, R. N., see Zav'yalov, V. P., 285
Veljković, V. and Metlas, R., Identification of immunoglobulin recombination elements in human immunodeficiency virus type 1 envelope gene, 11
Vella, A. T., see Stellrecht, K. A., 273
Vlug, A., see Jefferis, R., 143
Volynskaya, N. A., see Zlobina, E. N., 289
Vuillier, F., see Bravo-Cuellar, A., 297

Wada, A., see Liu, D., 177
Walker, T. M., Yurochko, A. D., Burger, C. J. and Elgert, K. D., Macrophages stimulated by receptor-ligand interactions exhibit differences in cell-cycle kinetics during tumor growth: stimulation at Mac-1 and Mac-3 receptors alters DNA synthesis, 217
Wang, H., Mohapatra, S. S. and HayGlass, K. T., Evidence for the existence of IL-4 and IFNγ secreting cells in the T cell repertoire of naive mice, 169
Watanabe, K., see Takeuchi, Y., 183
Whitford, P., see Alam, S. M., 279

Yamamda, K., see Hiromatsu, Y., 35
Yamamura, K., see Uno, M., 47
Yanagita, Y., Nishimura, T., Gao, X., Mitomi, T. and Habu, S., Natural cytotoxic T cells responsible for anti-CD3-induced cytotoxicity in mice, 137
Yasukawa, K., Futatsugi, K., Saito, T., Yawata, H., Narazaki, M., Suzuki, H., Taga, T. and Kishimoto, T., Association of recombinant soluble IL-6-signal transducer, gp130, with a complex of IL-6 and soluble IL-6 receptor, and establishment of an ELISA for soluble gp130, 123
Yawata, H., see Yasukawa, K., 123
Yeyati, P. L., Bonnefoy, S., Mirkin, G., Debrabant, A., Lafon, S., Panebra, A., Gonzalez-Cappa, E., Dedet, J. P., Hontebeyrie-Joskowicz, M. and Levin, M. J., The 70-kDa heat-shock protein is a major antigenic determinant in human *Trypanosoma cruzi/Leishmania braziliensis braziliensis* mixed infection, 27
Ying, L., Davis, S.-J., Langman, R., Epstein, R. and Cohn, M., Is the establishing of tolerance to self obligatorily MHC restricted?, 21
Yoon, D. Y., see Kim, K., 267
Yoshida, T., see Morikawa, M., 105
Youinou, P., see Jamin, C., 79
Yourick, J. J., see Lenz, D. E., 131
Yurochko, A. D., see Walker, T. M., 217

Zav'yalov, V. P., Navolotskaya, E. V., Isaev, I. S., Kaurov, O. A., Kolobov, A. A., Vasilenko, R. N., Galaktionov, V. G. and Denesyuk, A. I., Nanopeptide corresponding to the sequence 27–35 of the mature human IL-2 efficiently competes with rIL-2 for binding to thymocyte receptors, 285

Zeng, H., see Morikawa, M., 105

Zevin-Sonkin, D., Ilan, E., Guthmann, D., Riss, J., Theodor, L. and Shoham, J., Molecular cloning of the bovine thymopoietin gene and its expression in different calf tissues: evidence for a predominant expression in thymocytes, 301

Zikán, J., see Prokešová, L., 259

Zlobina, E. N., Dubinkin, I. V., Merkushov, A. V., Volynskaya, N. A. and Gudima, G. O., Pancreatic antigenic complex p64 69: involvement in regulation of insulin secretion and relation to glutamic acid decarboxylase, 289